



AUGUST 9-10, 2023
BRIEFINGS

Bad io_uring: A New Era of Rooting for Android

Zhenpeng Lin, Xinyu Xing, Zhaofeng Chen, Kang Li




Who We Are

- **Zhenpeng Lin**
 - Ph.D. from *Northwestern University*
 - Specialized in ***kernel security***
- **Xinyu Xing**
 - Associate Professor at *Northwestern University*
- **Zhaofeng Chen**
 - Principle Researcher at *Certik*
- **Kang Li**
 - Chief Security Officer at *Certik*



The io_uring

- Efficient I/O operations
- Less Syscalls
- Under **ACTIVE** development





The BAD io_uring



Eduardo Vela... ✕ 
@sirdarckcat


"Why io_uring so bad?"



The BAD io_uring

- Very buggy



Eduardo Vela... ✕ 
@sirdarckcat

"Why io_uring so bad?"



The BAD io_uring

- Very buggy







Eduardo Vela... X 
@sirdarckcat

"Why io_uring so bad?"

← → ↻ 🏠 syzkaller.appspot.com/upstream/fixed 🔍 📄 ☆

syzbot Linux ▾

 Open [982]  Subsystems  **Fixed [4669]**  Invalid [10858]  Kernel Health  Bug Lifetin

The BAD io_uring

- Very buggy
- Active development, and **ACTIVE exploitation**



Eduardo Vela... X ✓
@sirdarckcat

"Why io_uring so bad?"

← → ↻ 🏠 syzkaller.appspot.com/upstream/fixed 🔍 📌 ☆

syzbot Linux ▾

🐛 Open [982] 📑 Subsystems 🐛 **Fixed [4669]** 🐛 Invalid [10858] 📈 Kernel Health 📈 Bug Lifetin

io_uring 17/161 ^ v x

Exploitation Against io_uring

CVE-2022-29582

An io_uring vulnerability

Posted by Awarau and pql on August 05, 2022 · 93 mins read

CVE-2021-20226 a reference counting bug which leads to local privilege escalation in io_uring.

 Flatt Security Inc. · Follow
20 min read · Jun 21, 2021

[CVE-2022-1786] A Journey To The Dawn

📅 Posted on 2022-10-15 | 📝 Edited on 2022-10-19

Home » Blogs

io_uring - new code, new bugs, and a new exploit technique

June 24, 2022 · 13 min · Lam Jun Rong (@junr0n)

Put an io_uring on it - Exploiting the Linux Kernel

Original Date Published: March 8, 2022



EXPLOITATION

CVE-2022-2602: DirtyCred File Exploitation applied on an io_uring UAF



ALESSANDRO GROPPA
DECEMBER 21, 2022

Exploitation Against io_uring

- [60% submissions](#) to [KCTF VRP](#) exploited io_uring as of June 2023
- Around 1 million USD paid out for those bugs
- All public exploits targeted desktop Linux kernel

Exploitation Against io_uring

- [60% submissions](#) to [KCTF VRP](#) exploited io_uring as of June 2023
- Around 1 million USD paid out for those bugs
- All public exploits targeted desktop Linux kernel
- Measures taken by Google
 - ChromeOS: io_uring disabled
 - Google servers: io_uring disabled
 - GKE AutoPilot: investigating disabling io_uring by default
 - Android: io_uring ***restricted***

Exploitation Against io_uring

- [60% submissions](#) to [KCTF VRP](#) exploited io_uring as of June 2023
- Around 1 million USD paid out for those bugs
- All public exploits targeted desktop Linux kernel
- Measures taken by Google
 - ChromeOS: io_uring disabled
 - Google servers: io_uring disabled
 - GKE AutoPilot: investigating disabling io_uring by default
 - Android: io_uring ***restricted***
 - still accessible from ***privileged*** context (e.g., adb)



Exploiting io_uring on Android

- A lot of bugs, a lot of potential!

Exploiting io_uring on Android

- A lot of bugs, a lot of potential!
- 🧐 Fun and profit!

Code execution reward amounts

Description	Maximum Reward
Pixel Titan M with Persistence, Zero click	Up to \$1,000,000
Pixel Titan M without Persistence, Zero click	Up to \$500,000
Local App to Pixel Titan M without Persistence	Up to \$300,000
Secure Element	Up to \$250,000
Trusted Execution Environment	Up to \$250,000
Kernel	Up to \$250,000
Privileged Process	Up to \$100,000

Exploiting io_uring on Android

- A lot of bugs, a lot of potential!
- 😎 Fun and profit!
- 😞 No public writeup for exploiting it on Android

Code execution reward amounts

Description	Maximum Reward
Pixel Titan M with Persistence, Zero click	Up to \$1,000,000
Pixel Titan M without Persistence, Zero click	Up to \$500,000
Local App to Pixel Titan M without Persistence	Up to \$300,000
Secure Element	Up to \$250,000
Trusted Execution Environment	Up to \$250,000
Kernel	Up to \$250,000
Privileged Process	Up to \$100,000




CVE-2022-20409

- No difference than other io_uring bugs
- A stable **invalid-free** bug
- The bug I used to *pwn Google Pixel 6* and *Samsung S22 in 2022*
- [Fixed](#) on 7/29/2022

io_uring's AsyncIO

- Each I/O operation is a *req* in the submission queue
- Each req can be processed *asynchronously*
- Each req has its *identity*



Initializing identity

- *identity* stores in *io_uring*

```
int io_uring_alloc_task_context(struct task_struct *task)
{
    struct io_uring_task *tctx;
    tctx = kmalloc(sizeof(*tctx), GFP_KERNEL);
    ...
    io_init_identity(&tctx->__identity);
    tctx->identity = &tctx->__identity;
    task->io_uring = tctx;
}
```




`io_uring`

Initializing identity

- *identity* stores in *io_uring*
- *identity* references to the nested *__identity*


```
int io_uring_alloc_task_context(struct task_struct *task)
{
    struct io_uring_task *tctx;
    tctx = kmalloc(sizeof(*tctx), GFP_KERNEL);
    ...
    io_init_identity(&tctx->__identity);
    tctx->identity = &tctx->__identity;
    task->io_uring = tctx;
}
```



Initializing identity

- *identity* stores in *io_uring*
- *identity* references to the nested *__identity*
- *io_uring* is referenced by *task*


```
int io_uring_alloc_task_context(struct task_struct *task)
{
    struct io_uring_task *tctx;
    tctx = kmalloc(sizeof(*tctx), GFP_KERNEL);
    ...
    io_init_identity(&tctx->__identity);
    tctx->identity = &tctx->__identity;
    task->io_uring = tctx;
}
```



identity COW

- If *identity* changes (e.g., cred changes), new *identity* is created


```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    struct io_identity *id;
    ...
    id = kmemdup(req->work.identity, sizeof(*id),
GFP_KERNEL);
    io_init_identity(id);
    ...
    req->work.identity = id;
    tctx->identity = id;
}
```



identity COW

- If *identity* changes (e.g., cred changes), new *identity* is created
- *identity* * will reference to the new *identity* on heap

```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    struct io_identity *id;
    ...
    id = kmemdup(req->work.identity, sizeof(*id),
GFP_KERNEL);
    io_init_identity(id);
    ...
    req->work.identity = id;
    tctx->identity = id;
}
```





The BUG

```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```




The BUG

```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```




The BUG

```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```



The BUG

```
thread A
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```



The BUG

```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```

thread A

thread B

This is false



The BUG

```
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```

thread A

thread B

This is false

thread A->io_uring->identity



The BUG

```
thread 4
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);

    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```

thread B

This is false

thread 4->io_uring->identity

This is true

The BUG

```
thread 4
static bool io_identity_cow(struct io_kiocb *req)
{
    struct io_uring_task *tctx = current->io_uring;
    ...
    /* drop tctx and req identity references, if needed */
    if (tctx->identity != &tctx->__identity &&
        refcount_dec_and_test(&tctx->identity->count))
        kfree(tctx->identity);

    thread 4->io_uring->identity
    if (req->work.identity != &tctx->__identity &&
        refcount_dec_and_test(&req->work.identity->count))
        kfree(req->work.identity);
    req->work.identity = id;
    tctx->identity = id;
    return true;
}
```

thread B

This is false

thread 4->io_uring->identity


invalid free

This is true



The Memory Corruption Capability

- Invalid-free a *kmalloc-256* object in the middle





Exploitation on Android

- Restricted Access
 - No user_ns
 - No FUSE, userfaultfd
 - No msg_msg, user_key_payload, etc.
 - Very limited choice of syscalls


Exploitation on Android

- Restricted Access
 - No user_ns
 - No FUSE, userfaultfd
 - No msg_msg, user_key_payload, etc.
 - Very limited choice of syscalls
- But we have *pipe* 🤔
 - *pipe_buffer* is an [elastic object](#) --- good for spraying
 - *pipe_buffer* contains a global pointer --- good for leaking

```
struct pipe_buffer {  
    struct page *page;  
    unsigned int offset, len;  
    const struct pipe_buf_operations *ops;  
    unsigned int flags;  
    unsigned long private;  
}
```


UAF from *identity* to *pipe_buffer*

- Trigger the invalid-free of *identity*, which frees *io_uring_task* in the middle




UAF from *identity* to *pipe_buffer*

- Trigger the invalid-free of *identity*, which frees *io_uring_task* in the middle
- Spray *pipe_buffer* in **kmalloc-256**




UAF from *identity* to *pipe_buffer*

- Trigger the invalid-free of *identity*, which frees *io_uring_task* in the middle
- Spray *pipe_buffer* in **kmalloc-256**
- Free *io_uring_task*, which frees *pipe_buffer*




UAF from *identity* to *pipe_buffer*

- Trigger the invalid-free of *identity*, which frees *io_uring_task* in the middle
- Spray *pipe_buffer* in **kmalloc-256**
- Free *io_uring_task*, which frees *pipe_buffer*
- How to **leak** *pipe_buffer* out?



Recap of The io_uring Design

- The *ring buffer* is accessible to both userspace and kernel





The Shared Ring

- **User** pages *shared* between kernel and userspace
- The memory is allocated by *buddy allocator* and mapped to userspace
- No copy_to/from_user is needed
- Data can be transported directly without copying
 - Read/write kernel memory from userspace
 - Read/write userspace memory from kernel




The “DirtyPage” Technique

- Some user pages are recycled with slab pages
 - **Spraying pages to reclaim freed slab pages**
 - Spray objects? No! We spray pages now!
 - Candidates: *io_uring*, *pipe*
- What is the advantage?
 - Powerful 🧐 : Read/write slab objects from userspace
 - Stable 🧐 : Spray once to have persist read/write on victim object
 - Simple 🧐 : Just allocate more



Achieving Read/Write on *pipe_buffer*


- Preparing the memory layout





Achieving Read/Write on *pipe_buffer*


- Preparing the memory layout
- Triggering the invalid-free





Achieving Read/Write on *pipe_buffer*


- Preparing the memory layout
- Triggering the invalid-free
- Freeing the slab page





Achieving Read/Write on *pipe_buffer*

- Preparing the memory layout
- Triggering the invalid-free
- Freeing the slab page
- Reclaiming the freed slab page





Achieving Read/Write on *pipe_buffer*

- Preparing the memory layout
- Triggering the invalid-free
- Freeing the slab page
- Reclaiming the freed slab page
- Reading *pipe_buffer*
 - *ops* --- **bypass kaslr**

```
struct pipe_buffer {  
    struct page *page;  
    unsigned int offset, len;  
    const struct pipe_buf_operations *ops;  
    unsigned int flags;  
    unsigned long private;  
};
```



Achieving Read/Write on *pipe_buffer*

- Preparing the memory layout
- Triggering the invalid-free
- Freeing the slab page
- Reclaiming the freed slab page
- Reading *pipe_buffer*
 - *ops* --- **bypass kaslr**
- Writing *pipe_buffer*
 - *flags* --- [Dirty Pipe Retro!](#)

```
struct pipe_buffer {  
    struct page *page;  
    unsigned int offset, len;  
    const struct pipe_buf_operations *ops;  
    unsigned int flags;  
    unsigned long private;  
};
```



Achieving Read/Write on *pipe_buffer*

- Preparing the memory layout
- Triggering the invalid-free
- Freeing the slab page
- Reclaiming the freed slab page
- Reading *pipe_buffer*
 - *ops* --- **bypass kaslr**
- Writing *pipe_buffer*
 - *flags* --- [Dirty Pipe Retro!](#)
 - *page* --- **arbitrary r/w** on kernel memory?

```
struct pipe_buffer {  
    struct page *page;  
    unsigned int offset, len;  
    const struct pipe_buf_operations *ops;  
    unsigned int flags;  
    unsigned long private;  
};
```

How Pipe Uses Pages

- *kmap_atomic* the page
- copy *in/out* the page

```
static ssize_t
pipe_read(struct kiocb *iocb, struct iov_iter *to) {
    ...
    // in copy_page_to_iter_iovec
    kaddr = kmap_atomic(page);
    from = kaddr + offset;
    left = copyout(buf, from, copy);
    ...
}

static ssize_t
pipe_write(struct kiocb *iocb, struct iov_iter *to)
{
    ...
    // in copy_page_from_iter_iovec
    kaddr = kmap_atomic(page);
    to = kaddr + offset;
    left = copyin(to, buf, copy);
    ...
}
```

How Pipe Uses Pages

- *kmap_atomic* the page
- copy *in/out* the page
- *kmap_atomic* is *page_address*

```
static inline void *kmap_atomic(struct page *page)
{
    preempt_disable();
    pagefault_disable();
    return page_address(page);
}
```


How Pipe Uses Pages

- *kmap_atomic* the page
- copy *in/out* the page
- *kmap_atomic* is *page_address*
- *page_address*
 - equals $(\text{page} \ll \text{SHIFT}) + \text{OFFSET}$
 - **SHIFT** is fixed
 - **OFFSET** is also **fixed** on ARM64


```
#define page_address(x) page_to_virt(x)
#define page_to_virt(x) __va(PFN_PHYS(page_to_pfn(x)))
#define __va(x) ((void *)((unsigned long )(x)+PAGE_OFFSET))
#define PFN_PHYS(x)      ((phys_addr_t)(x) << PAGE_SHIFT)
```

Achieving Kernel Arbitrary R/W


- Given a kernel address
 - Calculate the its page
 - Calculate the offset
 - Overwrite the *pipe_buffer* with calculated data
- *Read/Write* by reading/writing the pipe



```
unsigned long addr_to_page(unsigned long addr)
{
    addr = addr & 0xffffffff000ul;
    return ((addr - 0xffffc008000000ul) >> 6);
}
```



Escalating Privilege On Pixel 6





Samsung's KNOX

- Samsung has customized protection for their kernel --- KNOX
- KNOX protects cred integrity



Samsung's KNOX


- Samsung has customized protection for their kernel --- KNOX
- KNOX protects cred integrity



Samsung's KNOX

- Samsung has customized protection for their kernel --- KNOX
- KNOX protects cred integrity

```
struct cred_kdp {  
    struct cred cred;  
    atomic_t *use_cnt;  
    struct task_struct *bp_task;  
    void *bp_pgd;  
    unsigned long long type;  
};
```



Samsung's KNOX

- Samsung has customized protection for their kernel --- KNOX
- KNOX protects cred integrity

```
struct cred_kdp {  
    struct cred cred;  
    atomic_t *use_cnt;  
    struct task_struct *bp_task;  
    void *bp_pgd;  
    unsigned long long type;  
};
```



Samsung's KNOX

- Samsung has customized protection for their kernel --- KNOX
- KNOX protects cred integrity
- *cred* object is read-only, *uid* field is read-only


```
struct cred_kdp {  
    struct cred cred;  
    atomic_t *use_cnt;  
    struct task_struct *bp_task;  
    void *bp_pgd;  
    unsigned long long type;  
};
```



`_kdp_read_only`


Validating cred Integrity

- Cross-checking between *task* and *cred*
- Integrity is validated at syscall entry



Validating cred Integrity

- Cross-checking between *task* and *cred*
- Integrity is validated at syscall entry
- How to prevent the cred is forged?




Validating cred Integrity

- How to prevent the cred is forged?
 - Checking if the *cred* is from *cred_jar_ro/tsec_jar* slab

```
/* Check whether the address belong to Cred Area */
int is_kdp_protect_addr(unsigned long addr)
{
    ...
    page = virt_to_head_page(objp);
    s = page->slab_cache;
    if (s && (s == cred_jar_ro || s == tsec_jar))
        return PROTECT_KMEM;

    return 0;
}
```




Validating cred Integrity

- How to prevent the cred is forged?
 - Checking if the **cred** is from **cred_jar_ro/tsec_jar** slab
 - This check is weak which could be bypassed


```
/* Check whether the address belong to Cred Area */
int is_kdp_protect_addr(unsigned long addr)
{
    ...
    page = virt_to_head_page(objp);
    s = page->slab_cache;
    if (s && (s == cred_jar_ro || s == tsec_jar))
        return PROTECT_KMEM;

    return 0;
}
```




Bypassing KNOX

- Forging a *root cred* with correct references
- Tampering the *slab_cache* of the forged cred's page



Escalating Privilege On S22





Takeaways

- io_uring is a huge attack surface not only to desktop but also to AOSP
- ***Restricting*** io_uring on Android doesn't seem enough
- Object spray is not the only exploit option, try ***DirtyPage***(page spray)!
- Android kernel exploitation with ***DirtyPage*** is simple!

[https://github.com/Markakd/bad io uring](https://github.com/Markakd/bad_io_uring)

[@Markak](#)

<https://zplin.me>